

JavaScript is not activated: Please activate JavaScript in your Browser to use this website without restrictions.

This website may place cookies on your computer to help us improve your personal user experience. Please read our [privacy policy](#) to learn more about cookies. [Accept Cookies](#)

RICOH IMAGING Product ID: FL-CC1614-5M Type: Unknown

English

- [Deutsch](#)
- [English](#)
- [Francais](#)
- [Italiano](#)

FL-CC1614-5M

[txt_search_go](#)

[txt_search_go](#)

- [Products](#)
 - [Lenses](#)
 - [Accessories](#)
 - [Work Assistance Camera System](#)
 - [Lens Selector](#)
 - [Product Search](#)
 - [Product Comparison](#)

[Close](#)
- [Support](#)
 - [Download](#)
 - [Technical Information](#)
 - [Newsletter](#)

[Close](#)
- [About us](#)
 - [About us](#)
 - [News](#)
 - [Contact](#)

[Close](#)

1. [Home](#)
2. >[Products](#)
3. >[Lenses](#)
4. >[5 Megapixel Lenses](#)
5. >[F1.4/16mm](#)

[Back](#) [Print page](#) [Save page as PDF](#)

FL-CC1614-5M - F1.4/16mm

- [Specifications](#)

- [Downloads](#)
- [Accessories](#)

[Compare product](#) [Inquiry](#) [Loan Quote](#)

File type unknown or type unknown File type unknown or type unknown

Specifications

Description	Fixed focal length lens, high-resolution, compact 5 Megapixel lens, with locking screws for C- and CS- Mount cameras Highest Resolution and Contrast - compatible with pixel size 3.45µm, 5 megapixel on 2/3" cameras - high resolving power of 140 lp/mm from centre to corners of the image Reduced Distortion Down to a Minimum - 1% or less - suitable for image measurement
Remarks	High Light Transmission - fast aperture F1.4 - even contrast and resolution from the center to the corners of the image - 40% increased light distribution Compact and Robust - 43mm diameter - ideal for integration in highly developed machine vision systems - stable design, robust and durable - with locking and thumb screws
Format	2/3"
Mount	C
Focal Length	16.0 mm
Iris Range	F1.4 - 16
Iris Type	Manual
Focus Control	Manual
Horizontal Angle Of View	30.8°
Minimum Object Distance	0.1 m
Filter Size (mm)	40.5 x 0.5
Dimensions (mm)	43 x 47
Weight	140 g
Temperature Range	-20°C to +50°C
Comment	Diameter 42mm, old part no.: C31635KP/C1614-5M (KP)
Resolution	5M
Price (Euro)	399.00

[to top](#)

- [Imprint](#)
- [AGB](#)
- [Privacy Policy](#)
- [Warranty](#)

Image not found or type unknown

